

HOME LINK LITE

4" SCREEN



PRODUCT DESCRIPTION

This product features an 480*480 high-definition display screen. The built-in Wi-Fi gateway allows for smart home device control, scene interactions, device automation, and remote app control. By installing it in the wall electrical box at home, users can easily manage their smart devices, including air conditioners, lights, curtains, switches, and more, through the touch screen or mobile app.



FEATURES

- Fit Asian 86mm*86mm wall boxes for simple in-wall installation.
- 4-inch HD LCD multi-touch screen, dual array microphone, auto light sensor, built-in 1W speaker.
- Control lights, curtains, switches, sockets, curtains, and air conditioners are five types of room devices.



TECHNICAL INFORMATION

Input power	100-240 VAC, 50-60 Hz
Working Temperature	0°C - +40°C
Working Humidity	5% to 90%RH(Non-condensing)
Wireless Protocol	Wi-Fi
СРИ	Rockchip PX30 Quad core Cortex-A35
RAM	2GB
ROM	8GB
OS	Android 8.1
Screen	4 inches (480P x 480P)
Wireless Protocol	Wi-Fi
Wi-Fi	802.11 b/g/n 150 mbps 2.4GHz
Microphone	Dual array microphone and 1W Mono speaker
Dimensions	86x86x36mm (Included base)

USER INTERFACE AND PORTS Light / distance sensor Dual array microphone $-\mu$ ᡣ᠆ᡗ 00 000 RS485 Ethernet port 000 Live wire to output Live wire to output Live wire to input Neutral wire to input

SAFETY INSTRUCTIONS

- This product must be installed by professional electricians.
- Turn off the main power in the electricity box and make sure the live wire is not alive with a test pencil.
- This product should be kept away from fire and water during installation and use.
- This product can not be used in moisture circumstances such as bathrooms.

SmartNode Automations Pvt. Ltd. A-09-02-B, Kamdhenu Industrial Estate Opp, Gorwa Water Tank, Gorwa, Vadodara-390016

Tel.: +91 8200824126 | Email : info@smartnode.in www.smartnode.in