



Smart Node

Discover the Joy of Smart Living


smartnode.in

Smart Device

Model no.

RD.2HD





REMOTE
DEVICE

RD.2HD

OBJECTIVES

Touch remote control and manual control

What it controls

Light, Dimming light



FEATURES


- Anti-shock switching
- Compatible with capacitive switches
- Hassle free installation



TECHNICAL ATTRIBUTES

Combination	0 Humming free fan 2 Heavy dimmable load 0 Normal load 0 Heavy load
Operating input voltage	100 -240 VAC.
Supported frequency	50-60 Hz
Product weight (gms)	113
Mode of operation	Physical and touch remote control
Max.load (fan)	N/A
Max.load (per dimmer, up to 3 LED)	800 watt
Max.load (per normal load switch, up to 3 LED)	N/A
Max.load (per high load switch, up to 4 LED)	N/A
Operating temperature	0°C - 65°C non condense
Product size	95mm x50mm x 30mm
Module size	6
Material	ABS
Shockproof	YES
Water resistance	NO

CONNECTORS



Smartnode Automations Pvt. Ltd.

A-09-02-B, Kamdhenu Industrial Estate
Opp, Gorwa Water Tank, Gorwa, Vadodara-390016
Tel.: +91 8200824126 | Email : info@smartnode.in
www.smartnode.in