



smartnode.in

# Remote Device

Model no. **RD.4XXNX**





REMOTE  
DEVICE

**RD.4XXNX**

## OBJECTIVES

Touch remote control and manual control

## What it controls

Light, Set box, TV, etc.



# FEATURES

- Anti-shock switching
- Compatible with capacitive switches
- Hassle free installation



## TECHNICAL ATTRIBUTES

Combination	0 Humming free fan 0 Dimmable load 4 Normal load 0 Heavy load
Operating input voltage	100 -240 VAC.
Supported frequency	50-60 Hz
Product weight ( gms )	102.4
Mode of operation	Physical and touch remote control
Max.load (fan)	N/A
Max.load (per dimmer, up to 3 LED)	N/A
Max.load (per normal load switch, up to 3 LED)	1500 watt
Max.load (per high load switch, up to 4 LED)	N/A
Operating temperature	0°C - 65°C non condense
Product size	70mm x 52mm x 25mm
Module size	2
Material	ABS
Shockproof	YES
Water resistance	NO

# CONNECTORS



## Smartnode Automations Pvt. Ltd.

A-09-02-B, Kamdhenu Industrial Estate  
Opp, Gorwa Water Tank, Gorwa, Vadodara-390016  
Tel.: +91 8200824126 | Email : info@smartnode.in  
www.smartnode.in