




smartnode.in

Remote Device

Model no. **RD.6FDNX**





**REMOTE
DEVICE**

RD.6FDNX

OBJECTIVES

Touch remote control and manual control

What it controls

Light, Fan, Dimming light, TV, etc.



FEATURES



- Humming less fan dimming
- 5 step fan control
- 0%-100% brightness dimming
- Smooth dimming
- 2 way fan
- Anti-shock switching
- Compatible with capacitive switches
- Hassle free installation



TECHNICAL ATTRIBUTES

Combination	2 Humming free fan 1 Dimmable load 3 Normal load 0 Heavy load
Operating input voltage	100 -240 VAC.
Supported frequency	50-60 Hz
Product weight (gms)	198.7
Mode of operation	Physical and touch remote control
Max.load (fan)	100 watt
Max.load (per dimmer, up to 3 LED)	100 watt
Max.load (per normal load switch, up to 3 LED)	1500 watt
Max.load (per high load switch, up to 4 LED)	N/A
Operating temperature	0°C - 65°C non condense
Product size	130mm x 58mm x 25mm
Module size	6
Material	ABS
Shockproof	YES
Water resistance	NO

CONNECTORS



Smartnode Automations Pvt. Ltd.

A-09-02-B, Kamdhenu Industrial Estate
Opp, Gorwa Water Tank, Gorwa, Vadodara-390016
Tel.: +91 8200824126 | Email : info@smartnode.in
www.smartnode.in